

Coastal Rescue Solutions

9935 Rock Hill Rd
Ponce de Leon, FL 32455
sales@coastalrescue.us

Date: March 27, 2026
Quote #: 26-1507
Salesperson: Jeff McVay
850-865-5367
sales@coastalrescue.us



"Our Tools Save Lives"

Bill To:

South Walton Fire District
Attn: District Chief Glen Kuehner
911 North County Hwy 393
Santa Rosa Beach, FL 32459

Ship/Deliver To:

Same

Phone: Office 850-267-1298
Phone:
Email: gkuehner@swfd.org

Quote # 26-1507

Details	Each	Qty	Price
Demo RescueONE® 1673-X4™ GEN4 Connector Boat®	\$13,910.00	1	\$13,910.00
ControlCONSOLE™	\$4,610.00	1	\$4,610.00
DIVERSupport/VictimLIFT™	\$4,120.00	1	\$4,120.00
LighTRACK™ (Folding—No Lights)	\$2,380.00	1	\$2,380.00
LED4Pak™	\$540.00	1	\$540.00
Emergency LED Light Bar—Red	\$680.00	1	\$680.00
NightVISION™ Light Package	\$920.00	1	\$920.00
Interior Lights	\$490.00	1	\$490.00
Humminbird® XPLORE 12—12" Screen w/ GPS, CHIRP, Mega, and Side Imaging	\$4,510.00	1	\$4,510.00
SUNShade™ Bimini Top	\$830.00	1	\$830.00
60 hp Mercury Outboard Engine 60ELPT—Electric Start, Tilt/Trim, Remote Control	\$9,550.00	1	\$9,550.00
RescueONE® Inflatable ProX 500™	\$5,270.00	1	\$5,270.00
40 hp Mercury Tiller Engine 40ELHPT—Electric Start, Tilt/Trim, Tiller Control, Long Shaft	\$8,470.00	1	\$8,470.00
Bravo 12 Volt Air Pump	\$220.00	1	\$220.00
TWINtransport™ Steel Painted Trailer	\$15,360.00	1	\$15,360.00
Motor SwingRACK™ Heavy Duty Storage Rack—40 hp and Up, Max 250 lbs	\$920.00	2	\$1,840.00
SlideRAMP™	\$820.00	1	\$820.00
SKYLights™ 108 Watts of Fully Adjustable/ Telescopic LED Scene Lights—Per Pair	\$690.00	1	\$690.00
Adjustable Bunk Support System for Inflatables—Per Level	\$750.00	1	\$750.00
Storage Locker—Per Side	\$330.00	1	\$330.00
Terms:	Sub-Total		\$76,290.00
Thank you—we really appreciate your business! Payment is expected before delivery and a 5% delinquency surcharge will be added every 30 days thereafter on delinquent accounts unless prior arrangements have been made. All quotes are subject to change after 30 days or sooner if there are significant changes in supply of relevant and critical materials and/or services.	Discount		-\$0.00
Sales tax can only be exempted with a legible photocopy of your sales tax exempt/resale certificate.	Optional Delivery		\$677.00
	Sales Tax		\$0.00
	Grand Total		\$76,967.00
Notes:			
<ul style="list-style-type: none"> Sales tax can be exempted with a legible photocopy of your sales tax exempt/resale certificate. Delivery: Figured at \$2.50 per loaded mile each boat. 271 miles X \$2.50=\$677.50 			

We are looking forward to serving you!

"Greater love has no one than this, that he lay down his life for his friends."
~John 15:13~



Accessories & Additional Options

Details	Each	Qty	Price
Humminbird® XPLORE 10—10" Screen w/ GPS, CHIRP, Mega, and Side Imaging	\$3,560.00	1	\$3,560.00
2PowerPAC™ Dual Battery System	\$580.00	1	\$580.00
Mercury Prop Guard	\$360.00	1	\$360.00
Galvanized Coating in Lieu of Paint	\$2,390.00	1	\$2,390.00
Expanded Metal Mesh Safety Floor	\$790.00	1	\$790.00

Coastal Rescue Solutions

RescueONE® Connector Boats Product Specifications

Boat Options

- 1673-X4™ GEN4 Connector Boat® Basic Package:** StiffBACK DOUBLE HULL™ design, full length SecureTRAC™ system for securing any gear, anywhere inside, built-in foam for redundant buoyancy, 12V battery in USCG approved case, USCG navigation lights and safety certified wiring harness, breakers, and switches, 1100 gph bilge pump, non-skid tough Interlo coating, 2 FlexSEAT™ boxes, 4FloatROPES™. In addition to the boat itself, the basic package includes: ControlCONSOLE™ - Stronger aluminum material, power coated, seat is adjustable (front to rear), seat tilts up for access to fuel cell and has replaceable cushions. It includes electrical breaker/switch panel which meets all USCG, NMMA, & ABYC safety standards, SafeT® steering system with wheel, and engine remote controls & harnesses. DIVERSupport/VictimLIFT™ - Deploys in seconds, built of anodized aluminum, weighs 35 lbs, supports 300 lbs, removable and folds easily into boat for storage. New design allows it to double as a hoist to lift a victim from the water. Includes two HOISTlevers™. LightRACK™ (Folding) - New narrow design is heavier, stronger, and compact. Built of anodized aluminum. Folds backwards out of the driver's way, includes top and side mount plates for additional work lights and internal wiring harness. **Lights are not included, this is a light rack only.**
- 2196 X3™ Boat**—StiffBACK DOUBLE HULL™ design, with storage under rear deck. The moveable SEATool™ box with cushions, seats 4 and can be placed in center, on either side or laterally across the boat. Rear step pods provide better access to the water surface, boost side stability and facilitate level launches. It features built-in foam for redundant buoyancy, USCG navigation lights and ABYC and NMMA safety certified wiring harness, twin 1100 gph bilge pumps, non-skid tough interior coating, high quality exterior paint (white) and reflective striping. Standard equipment includes: GEN3™ ControlCONSOLE™ - Strong aluminum material, power coated, seat is adjustable (front to rear), electrical switch panel which meets all NMMA, ABYC safety standards, SafeT® steering system with wheel, driver's seat (with replaceable cushions), and engine controls, GEN3™ LightRACK™ - Built of anodized aluminum, includes top and side mount plates for additional work lights and internal wiring, Gen3™ DIVERSupport/VictimLIFT™ - Deploys in seconds, supports divers providing easy access in and out of boat, built of anodized aluminum, weighs 35lbs, supports 300lbs, removable and folds easily into boat for storage, new design allows it to do double duty as a hoist to lift a victim from the water, includes two HOISTlevers™, interior lights, NightVISION™ Light Package, LED4Pak, Mini LED Light Bar, 115hp Mercury outboard equipped with our exclusive RescueONE® ProPower™ monitor system and protected by a 3-year factory warranty serviceable at any authorized dealer, and 2196-SS Transport™ Trailer-new SpaceSAVER™ tongue design allows storage in 24" shorter space than without. Includes a non-skid covered walk ramp to facilitate easy launching and loading, DOT compliant LED running lights, 14" radial tire, spare tire/wheel on mount, FunneLOAD™ self-centering load guides, high quality PPG paint, HD winch, HD tongue jack and plastic coated safety cables. 20'6" length, 96" beam, 70" bottom width, 26" side depth. MAXIMUM CAPACITIES: Persons-6 or Total weight (PERSONS AND GEAR)- 1400lbs. Max Horsepower-150
- RescueONE® Inflatable Models: ProX430™**-Full bottle inflation with aluminum floor. 7 persons capacity with 30hp maximum recommended. Length 14'0", Beam 6' 3", weight 220 lbs., Max Load 2264 lbs. Include paddles, foot pump, patch kit, carry bag, and removeable internal, accessory bag.
- RescueONE® Inflatable Models: ProX500™**-Full bottle inflation with aluminum floor. 10 persons capacity with 40hp maximum recommended. Length 16'3", Beam 6' 3", weight 260 lbs., Max Load 2866 lbs. Include paddles, foot pump, patch kit, carry bag, and removeable internal, accessory bag.
- Bravo 12 Volt Air Pump

Trailer Options

- Steel Trailer--1673-SS™ GEN3 Transport™:** New SpaceSAVER™ tongue design allows storage in 24" shorter space than our original design. Includes LED running lights, radial tires, premium Vault® hybrid lube hubs, spare tire/wheel on side mount, FunneLOAD™ self-centering load guides, lifetime STEELPoly™ runners, high quality paint, tongue jack and plastic coated safety cables.
- Galvanized Steel Trailer--1673-SS™ GEN3 Transport™:** In addition to the standard features, an optional galvanized coating in lieu of paint has been added.
- Aluminum Trailer A1673-SS™ GEN3 Transport™:** New SpaceSAVER™ tongue design allows storage in 24" shorter space than our original design. Includes LED running lights, radial tires, premium Vault® hybrid lube hubs, spare tire/wheel on side mount, FunneLOAD™ self-centering load guides, lifetime STEELPoly™ runners, tongue jack and plastic coated safety cables.
- RescueONE® 1416 LowBoy™ Trailer:** Custom designed for inflatable boats, low boy profile makes it easy to enter and to launch. Includes side mount spare, LED lights and "fat boy" tires for the mud, sand or the highway.
- GEN4 TWINTransport™ Trailer:** Stores, transports and launches two Connector Boats® or Inflatables AND SpaceSAVER™ design is 2.5' shorter than our original design. Includes front treadplate step platform, tandem axles with 14" radial tires, premium Vault® hybrid lube hubs, adjustable carriage (for proper weight distribution), AutoSURGE™ automatic disc brakes, Heavy Duty 9500lb electric winch to raise and lower upper boat, Winch Control Module includes HD battery, battery charger/maintainer and storage for remote control, all in a single enclosure. Standard are DOT approved LED running lights, back up and night work lights, lifetime SteelPOLY™ runners, high quality paint, HD tongue jack, plastic coated spring safety cables, spare tire/wheel mounted, 7 pin round connector.
- *May be added for additional price to TWINTransport™ Trailer: Motor storage rack(s) Storage tray(s) for gear Expanded Metal Mesh Safety Floor-forward of axles
 Galvanized coating in lieu of paint Adjustable bunk support system for Inflatables per level SKYLights™ 108 watts of fully adjustable/ telescopic LED scene lights (pair)
 SlideRAMP™--For easy removal of an inflatable from the top rack without launching bottom boat*

Additional Options

- Freshwater FireBOAT Pump™:** Can be installed in the boat (or removed) in 3 minutes or less by 3 or 4 people without tools. Powered by an electric start (with back up manual recoil) 20hp V-twin OHV gasoline engine, it pumps 90gpm at 125psi through an adjustable monitor and is fed by a 4" intake hose with floating strainer. It can supply up to 540gpm at low pressure to a land based apparatus and is equipped with AutoPRIME™ automatic vacuum primer. Battery and 6 gallon fuel cell included.
- Saltwater FireBOAT Pump™:** Includes bronze (vs aluminum) pump housing and stainless steel frame. All other features are the same as the freshwater pump.
- SUNShade™ Bimini Top:** White vinyl fabric, aluminum frame, boot and nylon positioning straps. When installed on a 1673-X3™ with SecureTRAC™ System it can be moved forward/backwards, folds back and is easily removable without tools.
- 2PowerPAC™:** Dual battery system doubles your power. Includes two marine batteries in cases, a dual switch and built-in Charger/Maintainer so you are always ready to go.

Lighting Options—Light Rack Does Not Include Any Lights

- LED4Pak™:** 2 front facing and 2 side mount (adjustable) LED work lights.
- Emergency Warning LED Light Bar:** Installed red or blue LED light bar.
- NightVISION™ Light Package:** Package includes installation and 6 high intensity, submersible LED lights which are flush mounted in the sides of the hull with 2 front & 2 on each side.
- Interior Lights:** Two 16' (full length) no-glare soft red LED Gunwale rope interior lights installed under the gun-wall railing on both sides of the boat.

Sonar Options—Humminbird® Helix Series—Includes all hardware, installation, set-up and testing labor and a Ram infinitely adjustable mount.

- Helix 5 (5" screen) XPLORE (10" screen) XPLORE 12 (12" screen) With GPS and Side Imaging

Outboard Motors

60hp Mercury Electric Start, Tilt/Trim, Remote Control equipped with our exclusive RescueONE® ProPower™ monitor system. It tracks and displays RPMs, engine hours (to facilitate accurate maintenance). This system is not available on standard outboard models not sold by us. Notes: These are four stroke outboards with electric start, EFI fuel system, power trim/tilt. Included is controls, harness, aluminum prop, and 6-gallon fuel tank and hose. It is protected by a 3-year factory warranty and is serviceable at any authorized dealer.

40hp Mercury Electric Start, Tiller Control equipped with our exclusive RescueONE® ProPower™ monitor system. It tracks and displays RPMs, engine hours (to facilitate accurate maintenance). This system is not available on standard outboard models not sold by us. Notes: These are four stroke outboards with manual start, EFI fuel system. Included is aluminum prop, and 6-gallon fuel tank and hose. It is protected by a 3-year factory warranty and is serviceable at any authorized dealer.

SOUTH WALTON FIRE DISTRICT

911 North County Highway 393, Santa Rosa Beach, Florida 32459
"Prompt, Competent, Caring Response in Time of Need"



Ryan H. Crawford
Fire Chief / Administrator

Sole/ Single Source Request Justification (For Noncompetitive Purchases over \$5000)

WARNING: Per Florida Statutes 838,22(2)- It is unlawful for a public servant or a public contractor who has contracted with a governmental entity to assist in a competitive procurement to knowingly and intentionally obtain a benefit for any person or to cause unlawful harm to another by circumventing a competitive solicitation process required by law or rule through the use of a sole source contract for commodities or services.

To: Budget & Finance/ Purchasing Division

Your approval is requested to initiate a sole/single source procurement action:

Requestor Name: __Glen Kuehner__

& Title: District Chief _____

Requestor Dept./Division: __Operations__

Phone #: __850-267-1298__ Requisition #: _____

Recommended Sole/Single Source procurement action with:

Company Name: __Rescue One Connector Boats__

Contact Name: Anthony Lumpkin

Address: __4500 Hwy 77__

City, State, Zip: Southside, Alabama 35907

E-mail: _____

Telephone: __1-844-471-2628__

Is the recommended company the manufacturer? Yes No

Does the manufacturer sell the item(s) through distributors? Yes No

If yes, please have manufacturer provide a list of all authorized distributors.

Describe the full scope of work contemplated including installation if required; items should include brand, model and part number if applicable.

Identify the date you need item delivered or work performed.

Type of Sole/Single Source (Check One) Sole Source Single Source

<input checked="" type="checkbox"/>	One-Time: applies to a single requisition and purchase order for the current fiscal year
<input type="checkbox"/>	On-Going: Applies to multiple purchases to be made for one year from date Sole/Single Source approved. Estimated Annual Expenditures for one year: \$ _____

Is there a contract related to these services? Yes No If yes has legal reviewed it? Yes No

SOLE/SINGLE SOURCE RATIONALE

Explain why the recommended company is the only company who can perform the requirement. Address the following: Are there any other companies who can do this job? What condition (e.g. technological superiority, or performance risks, etc.) exists so that the recommended company has a significant advantage over any other company who can do this job?

The “Connector Boat” is a package system. It is easily recognizable as the required boat kit for Deployable Flood and Swift Water Type I, II, and III teams. This package system will also provide uniformed equipment when responding to Flood and Swift Water events in mutual aid scenarios. The package was designed specifically to meet the needs for Flood and Swift Water Rescue “required equipment”. This package allows for transport and deployment of specific vessels needed to respond to a wide range of potential water rescue events. Rescue one is the Sole Source provider of the Connector Boat packages and holds the patent and trademark for their product. Furthermore, Coast Rescue Solutions is the exclusive distributor and only company authorized to sell Rescue One’s product in the state of Florida.

It is important to sufficiently address the major reason for conducting a noncompetitive procurement, avoiding peripheral issues which detract from the main reason and reduce the credibility of the justification. The rationale must be clear and convincing, avoiding generalities and unsupported conclusions. Use one or more of the following as applicable.

Use additional sheets if necessary.

A specific contractor is the only source of the required item because (check all that apply):

The required items are **proprietary to the Contractor**.
A specific item is needed:

- to be compatible or interchangeable with existing hardware,
- as spare or replacement hardware,
- for the repair or modification of existing hardware, or
- for technical evaluation or test.

Vendor is the original equipment manufacturer; there are no regional distributors.
Verification from manufacturer is attached

This is the only equipment that meets the specialized needs of the department
and
performs the intended function. Detailed justification is attached.

Vendor is the sole distributor that is restricted by the manufacturer to our
territory.
Verification from manufacturer is attached.

It is not possible to obtain competition (i.e., only one source is capable of supplying the items or meeting the requirements). *In a brief explanation, provide supporting evidence for the conclusion; other sources considered should be identified and why they are not able to meet the requirements.*

The items requested is a Swift and Flood Water Duel Boart package. This package meets specific requirements outlined in FEMA Resource Typing for standard equipment list needed for deployable swift and flood water teams. Also this package is patented and trademarked buy the seller "Rescue One Connector Boats"

I


There is a **substantial technical risk** in contracting with any other contractor, thereby making that an unacceptable course of action (e.g., where only one contractor has been successful to date in implementing a difficult manufacturing process). *In a brief explanation, provide supporting evidence of other contractor's with relevant capabilities and emphasize their inability to overcome the substantial technical risk.*


For support services effort, there is no reasonable expectation that a meaningful cost or other improvement could be made in the incumbent contractor's performance (e.g., the chances of another firm winning a competition are clearly remote). *Please provide a brief explanation.*

ACKNOWLEDGEMENT

This section must be completed:

I am aware of the South Walton Fire District's requirements for competitive bidding for purchases over \$5,000.00 and the criteria for justification for Single Source/Sole. I have gathered the required technical information and have made a concerted effort to review comparable/equal equipment (e.g., market research). I have attached the pertinent documentation showing what market research was conducted to preclude other items from consideration.

Requestor Signature:  Date: 4/1/2020

Fire Chief Signature:  Date: 4/1/20

The South Walton Fire District has advertised the above request on the District's website in accordance with State of Florida Statute 287.057 and no challenges or protests were received. *

Buyer: _____ Date: _____

Fiscal Officer: _____ Date: _____

If approved by Fire Board: Resolution Number: _____

*All requests for Sole/Single Source will be advertised on the District's website for a minimum of 7 days prior to approval from the Fire Chief.



4500 Highway 77 • Southside, AL 35907 • 844-471-2628 • www.rescueoneboats.us

RescueONE® 1673 X-4™ Connector Boats®, Trailers and Accessories

Sole Source Certification Letter

01 January, 2026

To Whom It May Concern,

I am Anthony (Tony) P. Lumpkin, the co-owner of Marine One Corporation, which is the sole seller of *RescueONE® Brand 1673 X4™ Connector Boats®, RescueONE® brand Generation3™ TWINTransport™ trailers* and accessories. These brands are protected by trademarks # 1927286 and #1937884, both of which I own personally.

I invented this boat concept and designed matching trailers and the modular system by which it functions in 1993 and was issued US Patent #5,307,755 for the unique design. These facts can be verified on the website of the United States Patent and Trademark Office at www.USPTO.gov.

No other company manufactures these unique designs and we are the sole source for:
RescueONE® 1673 X4™ Connector Boats®, 2296 X3™, 228 RIB™ and RescueONE® TWINTransport™ trailers, RescueONE® brand accessories and equipment, including our DIVERSupport/VictimLift Platform™ designed to support divers and extricate victims in rescue operations, and unique RescueONE® Light Arch.

Our Exclusive distributor and the only companies authorized to sell our products in the state of Florida

Coastal Rescue Solutions Inc

//Anthony P. Lumpkin// (Certified Electronic Signature)

Anthony P. Lumpkin, IDSA, ASME

Founder, designer and owner of intellectual property for *RescueONE® Connector Boats®*

President, Marine One Corporation, 4500 Highway 77, Southside, AL 35907

Toll free phone- 844-471-2628